
# Skalini 20 20 Designs for your lifestyle

MiR mosaic





Te are not just an ordinary tile company. Our industry experience is exceptional, we have been working with natural stone for many years. An innovative approach and strong knowledge of the market trends allow us to manufacture and customize exceptional products, making us your go to company... In 2012 we made an important decision to switch our path from just a mosaic manufacturer to the trendsetter in our field. This created the birth of our new brand, Skalini. Many years of experience, the newest technologies and an exceptional design team altogether allowed us to create a totally new and out of the box product line. Our team of designers in cooperation with a group of engineers created a product line that will fill its unique niche in the marketplace.



WATERJET MOSAIC

ARTISTIC S T O N E

PANTHEON









## WATERJET COLLECTION

We have created an innovative collection with a wide range of design patterns, applying traditional essences with sleek modern lines. The design features of water jet allows you to achieve an artisan, yet sophisticated finish, combining modern production techniques with the beauty of ancient craftsmanship. The combination of design and creativity will definitely make that stunning statement.

WATERJET





Perfection and purity of the heart and mind is represented by the clean lines of our interlocking floral, Tai Ping. These blooms, accented with a hint of gold glass, sparkle with prosperity.



TAIPING
Code: MJT-2
Sheet Size: 12.1x12.1"
Thickness: 3/8"
Material: Calacata Gold, Thassos White,
Gold Leaf Glass, White Glass
Surface: Polished Glossy

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



When fantasy meets artistry the results are whimsical. Sofia's unbridled spirit and warm tones will bring tranquility to your space.



Code: MJT-1 Sheet Size: 11.8x11.8" Thickness: 3/8" Material: Calacata Gold Surface: Polished

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.












Beautifully executed Himiko is poetic and playful with a deep appreciation of the natural world. The immense beauty nestled within, breathes new life to traditional design.



HIMIKO Code: MJT-3 Sheet Size: 14.2x10.5" Thickness: 3/8" Material: Thassos White,

Blue Celeste, Calacata Gold Surface: Polished

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.






















What could have been commonplace Esther, takes you on a journey in nature. Rich in tone it brings romance to its foliage and harmony to your environment.



**ESTHER** Code: MJT-6 Sheet Size: 13x8.7" Thickness: 3/8" Material: Calacata Gold, Bardiglio Nuvolato, Gris Pulpis Surface: Polished

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.







Meticulously crafted and inspired by the idea of abstract floral petals. The incredible proportions and intensity of Noor will seduce the eye and insist on a second look.



Code: MJT-5 Sheet Size: 14.7x15.9" Thickness: 3/8" Material: Wooden Grey Dark Surface: Polished

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.






















WATERJET

Mesmerizing and mysterious, Samira displays a modern take of nature with unparalleled splendor.



SAMIRA Code: MJT-4 Sheet Size: 11.8x10.6" Thickness: 3/8" Material: Arabascato Surface: Polished


<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.













One imagines nature's most captivating wildflower, through the enchanting lines and sweeping flow of Victoria. This design will be cherished for years to come.



VICTORIA
Code: MJT-7
Sheet Size: 11.2x11.2"
Thickness: 3/8"
Material: Bianco Carrara, Thassos White
Surface: Polished

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.





Stunningly soft, this floral design shines with quiet elegance. Jeweled with mother-of-pearl, Diana makes everyday a declaration of sophistication.



DIANA
Code: MJT-8
Sheet Size: 11.2x11.2"
Thickness: 3/8"
Material: Thassos White, Shell
Surface: Polished

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.







30 ELIZABETH

A timeless bouquet and fresh perspective to a perennial favorite. Elizabeth, will dress generations in extraordinary grace and lowered curves.




ELIZABETH
Code: MJT-9
Sheet Size: 12x10.4"
Thickness: 3/8"
Material: Bianco Dolomiti, Lais Grey
Surface: Polished

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.














**GREY SUNBURST** Sheet size: 12.9x11.8" Code: RKF-01GR Thickness: 3/8" Material: Imperial Grey, Brass



**BLACK SUNBURST** Code: RKF-02BL Sheet size: 12.9x11.8" Thickness: 3/8"

Material: Black Jade, Brass

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.
















**GREY CROWN** 



\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.












Sheet size: 12x12" WHITE NEAVEU Code: RKF-09WT Thickness: 3/8" Material: Eastern White, Brass



Sheet size: 12x12" **GREY NEAVEU** Code: RKF-07GR Thickness: 3/8" Material: Imperial Grey, Brass



**BLACK NEAVEU** Code: RKF-08BL Sheet size: 12x12" Thickness: 3/8"

Material: Black Jade, Brass

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.















<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



38 EUPHORIA







<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



N



ANGOLO 1



ANGOLO 1 Sheet size: 13.5 Code: ANG-01 Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.








COASTAL SURGE Code: CST-05

44 COASTAL SURGE

Sheet size: 11.4x12.3" Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.






<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.




WATERJET


M O S A I C







<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.














VERONA WEAVE



VERONA WEAVE Code: VRN-01

Sheet size: 11.2x12.9" Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.











52

### Skalini



FIORE 15 Code: FIO-15 Size: 12.2X12.2"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.















MARGO 7 Code: MR-7 Sheet size: 12x4" Thickness: 3/8"


<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.





FIORE 11 Code: FIO-11


Sheet size: 12x12" Thickness: 3/8"




FIORE 12 Code: FIO-12 Sheet size: 10.2x10.2" Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.








FIORE 5 Code: FIO-5 Sheet size: 12.4x12.4" Thickness: 3/8"







<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.










Sheet size: 10.5x12.1" PANNIER Code: PAN-1 Thickness: 3/8" Material: Calacatta Gold, Thassos

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



PANNIER













RAINDROP 1 Sheet size: 9x9.9"

Code: RDR-01 Thickness: 3/8"

Material: Wooden Grey, Athens Grey, Thassos

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.







kalini

P





SNOWFLAKE Code: SFL-1

Sheet size: 10.5x10.5" Thickness: 3/8"








<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



68 SPECCHIO





Sheet size: 11.8x11.8 Thickness: 5/16"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



### P E A C O C K







PEACOCK WHITE Code: PCK-1 Sheet size: 11.8x12" Thickness: 5/16"




PEACOCK GREY
Code: PCK-2
Sheet size: 11.8x12"
Thickness: 5/16"

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.









\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

المهالد:









SHAPE 4B Code: SHP-4B Sheet size: 12x12" Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.














\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Code: SHP-5

Thickness: 5/16"










SHAPE 6 Code: SHP-6 Sheet size: 10.1x10.1" Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.






SHAPE 7 Code: SHP-7 Sheet size: 11.6x11.6"


Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.










Thickness: 5/16"

Code: TRL-5


82




<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.








TRELLIS 10 Code: TRL-10 Sheet size: 10.6x11.4" Thickness: 3/8"



TRELLIS 3 Code: TRL-3 Sheet size: 11x14" Thickness: 3/8"



TRELLIS 15 Code: TRL-15 Sheet size: 10.8x11.8" Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.













TRELLIS 2B Code: TRL-2B Sheet size: 11x14" Thickness: 5/16"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.















<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.







TRELLIS 11 Sheet size: 11.1x11.1"
Code: TRL-11 Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.







TRELLIS 12 Code: TRL-12 Sheet size: 11.1x11.1" Thickness: 5/16"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.










Skalini





TRELLIS 7 Sheet size: 11.8x11.8" Code: TRL-7 Thickness: 3/8"



TRELLIS 22 Code: TRL-22


Sheet size: 10.4x10.7" Thickness: 3/8"

TRELLIS 7 97










\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Thickness: 3/8"






Code: TRL-17



TRELLIS 18



TRELLIS 18 Sheet size: 11x12.7" Code: TRL-18 Thickness: 3/8"

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.















TRELLIS 27 Code: TRL-27 Sheet size: 8.8x10" Thickness: 3/8"




TRELLIS 23 Code: TRL-23 Sheet size: 9.8x10.2" Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.







TRELLIS 19 Code: TRL-19 Sheet size: 11.8x11.8" Thickness: 3/8"











106

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.





108 TRELLIS 30

Sheet size: 10.2x11.3" TRELLIS 28 Code: TRL-28 Thickness: 3/8" Materials: Thassos White, Wooden Grey



TRELLIS 30 Sheet size: 9x9.6" Code: TRL-30 Thickness: 3/8" Materials: Wooden Grey, Bianco Carrara


<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.














TRELLIS 29 Sheet size: 13.8x14.6 Thickness: 3/8" Code: TRL-29 Materials: Bianco Carrara, Wooden Grey, Athens Grey

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

















PICASSO 4 Code: PCS-4 Sheet size: 12x12" Thickness: 3/8"

0


112 PICASSO 4

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



PICASSO 3 Code: PCS-3 Sheet size: 11.8x11.8" Thickness: 3/8"

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.







PICASSO 2 Code: PCS-2

Sheet size: 11.8x11.8" Thickness: 3/8"

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.
















PICASSO 1 Sheet size: 12x12" Code: PCS-1 Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.















PICASSO 1





PICASSO 9 Sheet size: 8.3x12.2" Code: PCS-9 Thickness: 3/8" Materials: Bianco Carrara, Bardiglio

PICASSO 9



PICASSO 10 Sheet size: 8.3x12.2" Code: PCS-10 Thickness: 3/8" Materials: Thassos White, Wooden Grey


<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.














AND THE RESERVE

124

ALCAMO WHITE-1/6



Sheet size: 12x12"

Thickness: 3/8"

ALCAMO 2/6 Code: ACM 2/6



ALCAMO 3/6 Sheet size: 12x12" Code: ACM 3/6 Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.











Natural stone processing traditions have centuries old history in Italy and as in the old days, Italian artists continue to amaze the world with new discoveries in the art of processing stone surfaces. Artistic Stone collection represents the most vivid and extraordinary part of Skalini. The latest technologies are combined here with the distinguished design solutions. The chord of bright colors and exquisite ornaments will never leave you indifferent. Skalini designers made sure that these products will meet all your needs in creating designs in your own unique way.






ETCHED DOTS CARRARA Code: EFT-01CA Chip size: 3x12" Thickness: 3/8"








ETCHED WAVES CARRARA Code: EFT-02CA Chip size: 3x12" Thickness: 3/8"


ETCHED WAVES SILVER GREY Code: EFT-02GR Chip size: 3x12" Thickness: 3/8"






ETCHED CHEVRON CARRARA Code: EFT-03CA Chip size: 3x12" Thickness: 3/8"


ETCHED CHEVRON SILVER GREY Code: EFT-03GR Chip size: 3x12" Thickness: 3/8"







ETCHED ALLIGATOR CARRARA Code: EFT-04CA Chip size: 3x12" Thickness: 3/8"

ETCHED ALLIGATOR SILVER GREY Code: EFT-04GR Chip size: 3x12" Thickness: 3/8"










ETCHED DOTS WOODEN GREY Code: EFT-01WG Chip size: 3x12" Thickness: 3/8"









ETCHED WAVES WOODEN GREY Code: EFT-02WG Chip size: 3x12" Thickness: 3/8"









ETCHED CHEVRON WOODEN GREY Code: EFT-03WG Chip size: 3x12" Thickness: 3/8"


ETCHED CHEVRON BLACK Code: EFT-03BL Chip size: 3x12" Thickness: 3/8"





ETCHED ALLIGATOR WOODEN GREY Code: EFT-04WG Chip size: 3x12" Thickness: 3/8"

ETCHED ALLIGATOR BLACK Code: EFT-04BL Chip size: 3x12" Thickness: 3/8"





BASTONI 2 Code: BST-02 Chip size: 2x0,4" Sheet size: 11.8x11.8" Thickness: 3/8"

BASTONI 3 Code: BST-03 Chip size: 12x0,4" Sheet size: 11.8x11.8" Thickness: 3/8"





Code: BST-04 Chip size: 12x0,4" Sheet size: 11.8x11.8" Thickness: 3/8"



A S T


0

N










AURA WHITE Code: AUR WHITE Sheet size: 12x12" Thickness: 3/8"

Surface: Honed

Material: Dolomite, Ice Grey, Ania Black





**AURA GREY** Code: AUR GREY Sheet size: 12x12" Thickness: 3/8" Surface: Polished

Material: Trojan Grey, Ania Black, Dolomite














DAHLIA GOLD Code: DAH GOLD Sheet size: 12x12" Thickness: 3/8"

Surface: Engraved, Rustic Silver Gold Leaf

Material: Ashen White Marble









OTANNATO WHITE Code: OTA WHITE

Sheet size: 12x12" Thickness: 3/8" Surface: Honed

Material: Dolomite, Ice Grey



Skalini




RITZ GOLD Code: RTZ GOLD Sheet size: 11.4x11.4" Thickness: 3/8"

Surface: Engraved, Rustic Silver Gold Leaf

Material: Ashen White Marble





AZTECA ANTICO

Code: AZT ANTICO

Material: Ashen White Marble

Sheet size: 12x12" Thickness: 3/8"


Surface: Engraved

150










ARTISTIC S T O N E M O S A I C





FESTIVAL 1 Code: FST-01 Chip size: 2x2" Sheet size: 11.8x11.8" Thickness: 3/8"



Chip size: 2x2"

Sheet size: 11.8x11.8"




FESTIVAL 3 Chip size: 2x2" 11.8x11.8" Thickness: 3/8"

153







GOLDEN LINE 4 Code: GLN-4

**GOLDEN LINE 5** 

Chip size: 0.6x 6" Sheet size: 12x12" Thickness: 3/8"



GOLDEN LINE 5 Code: GLN-5 Chip size: 0.6x 6" Sheet size: 12x12" Thickness: 3/8"



GOLDEN LINE 3 Code: GLN-3 Chip size: 0.6x 6" Sheet size: 12x12" Thickness: 3/8"



GOLDEN LINE 6 Code: GLN-6 Chip size: 0.6x 6" Sheet size: 12x12" Thickness: 3/8"





LEGEND 1 Code: LGN-1 Chip size: 1.2x 1.2" Sheet size: 12x12" Thickness: 3/8"



Code: LGN-2

Sheet size: 12x12" Thickness: 3/8"









Code: LGN-3 Chip size: 1.2x 1.2" Sheet size: 12x12" Thickness: 3/8"



FIRE DANCE 1 Code: FDC-1

Chip size: 0.6x 2" Sheet size: 12x12" Thickness: 3/8"










FIRE DANCE 2 Code: FDC-2

Chip size: 2x 2" Sheet size: 12x12"
Thickness: 3/8"

FIRE DANCE 2

Skalini








IMPRESS 1 Code: IMS-1 Chip size: 0.6x 2"
Sheet size: 12x12"
Thickness: 3/8"

\*This one of a kind art inspired mosaic can be made custom to your clients specifications.







Code: IMS-4 Chip size: 0.6x 2" Sheet size: 12x12" Thickness: 3/8"

<sup>\*</sup>This one of a kind art inspired mosaic can be made custom to your clients specifications.



DYNASTY 5 Code: DNY-5 Chip size: 2x 2" Sheet size: 12x12" Thickness: 3/8"



169




**VEGAS** 

170



VEGAS 4 Code: VGS-4 Chip size: 0.9x4"
Sheet size: 12x12"
Thickness: 3/8"





VEGAS 8i Code: VGS-8i Chip size: Irregular Sheet size: 12x12" Thickness: 3/8"



VEGAS 7i Code: VGS-7i









OI TOWNSHIP TO A CALL TO THE OWNER OF THE OWNER OWNER OF THE OWNER O

PARTICIPATION OF PERSONS AND ADDRESS.

COLUMN TARGET PARTY COLUMN TARGET TARGET COLUMN ACCOUNT

SHE WELL THE STILL SEEK STILL STILL STILL STILL

10nn - 440nn - 44

PROPERTY AND AND AND ADDRESS.

COLD STATE AND DESCRIPTION AND DESCRIPTION AND

man years years party years paint years

Candus addos

174

P U R I T Y




PURITY 2
Code: PRT-02
Chip size: 0.6x2"
Sheet size: 11.8x11.8"
Thickness: 5/16"










CLEOPATRA 2 Code: CPR-2 Chip size: 0.6x 0.6" Sheet size: 12x12" Thickness: 5/16"






CLEOPATRA 6
Code: CPR-6
Chip size: 0.6x 0.6"
Sheet size: 12x12"
Thickness: 5/16"


















DEVON 3 Code: DVN-3 Chip size: 0.9"x 0.9" Sheet size: 11.8"x11.8"

Thickness: 3/8"





HEX 3 Code: HEX-3 Chip size: 3.8x2.8" Sheet size: 11.6x12.6" Thickness: 3/8"



Skalini

H

182

HEX 4
Code: HEX-4
Chip size: 2.5"
Sheet size:
11.6x10.8"
Thickness: 3/8"














PIETRA FLOREALE 01 Code: PF-01

Chip size: Irregular Sheet size: 12x12" Thickness: 3/8"
























Chip size: Irregular Sheet size: 12.2x12.2" Thickness: 3/8"

Skalini

192 PIETRA FLOREALE 02




























PANTHEON BLACK

PANTHEON ANTICO

PANTHEON BLUE



Sheet size: 7.25x7.25"

Thickness: 3/8"


\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets


PANTHEON ANTICO

Code: PNT ANTICO

PANTHEON BLACK Sheet size: 7.25x7.25" Code: PNT BLACK Thickness: 3/8" \*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets








PANTHEON GREY Code: PNT GREY

Sheet size: 7.25x7.25" Thickness: 3/8"

\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets



PANTHEON CREMA Code: PNT CREMA

Sheet size: 7.25x7.25" Thickness: 3/8" \*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets














PANTHEON ANTICO Code: PNT ANTICO Sheet size: 7.25x7.25" Thickness: 3/8" \*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets \* Variation in color, shade, finish, hardness, strength and slip resistance is in-herent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.















PANTHEON BLACK
Code: PNT BLACK
Sheet size: 7.25x7.25"
Thickness: 3/8"
\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets



PANTHEON BLUE Code: PNT BLUE Sheet size: 7.25x7.25" Thickness: 3/8"





<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.







PANTHEON CREMA Code: PNT CREMA Sheet size: 7.25x7.25" Thickness: 3/8"

\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

Skalini

202 Custom Mix of Pantheon Grey and Pantheon White

PANTHEON GREY Code: PNT GREY Sheet size: 7.25x7.25" Thickness: 3/8"

\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets


\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.















PANTHEON MIXED COLORS\* Code: PNT MIXED COLORS


Sheet size: 7.25x7.25" Thickness: 3/8"

\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

\*This is a custom mix. Please contact your sales representative for more information.







\*This is a custom mix. Please contact your sales representative for more information.






\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



PANTHEON WHITE-BLACK

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



PANTHEON WHITE-BLACK\* Code: PNT WHITE-BLACK

\* Sheet size: 7.25x7.25"
Thickness: 3/8"
\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

\*This is a custom mix. Please contact your sales representative for more information.





PANTHEON BLUE-BLACK\* Code: PNT BLUE-BLACK Sheet size: 7.25x7.25" Thickness: 3/8"



PANTHEON BLACK-BLUE\* Code: PNT BLACK-BLUE Sheet size: 7.25x7.25" Thickness: 3/8" \*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

\*These are a custom mixes. Please contact your sales representative for more information.













PANTHEON WHITE-BLUE\* Code: PNT WHITE-BLUE Sheet size: 7.25x7.25" Thickness: 3/8"

\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets



PANTHEON BLUE-WHITE\* Code: PNT BLUE-WHITE Sheet size: 7.25x7.25" Thickness: 3/8"

\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets



\*

\*

PANTHEON WHITE-ANTICO\* Code: PNT WHITE-ANTICO

Sheet size: 7.25x7.25" Thickness: 3/8"

\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets



PANTHEON ANTICO-WHITE\* Code: PNT ANTICO-WHITE

Sheet size: 7.25x7.25" Thickness: 3/8"

\*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

\*These are a custom mixes. Please contact your sales representative for more information.
















PANTHEON BLUE



PANTHEON NUOVO WHITE Sheet size: 9.4x9.4" Code: PNV WHITE

Thickness: 3/8"



Code: PNV ANTICO

PANTHEON NUOVO ANTICO Sheet size: 9.4x9.4" Thickness: 3/8"



PANTHEON NUOVO GREY Code: PNV GREY

Sheet size: 9.4x9.4" Thickness: 3/8"



\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



PANTHEON













Code: PNV BLACK

Thickness: 3/8"

Code: PFL WHITE Sheet size: 9.6x9.6" Thickness: 3/8"

PANTHEON FLOREALE WHITE




PANTHEON FLOREALE ANTICO Code: PFL ANTICO Sheet size: 9.6x9.6"

Thickness: 3/8"

PANTHEON FLOREALE GREY Code: PFL GREY

Sheet size: 9.6x9.6" Thickness: 3/8"



PANTHEON FLOREALE BLACK Code: PFL BLACK


Sheet size: 9.6x9.6" Thickness: 3/8"

\* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.









<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



PANTHEON NUOVO MIXED COLORS Code: PNV MIXED COLORS Sheet size: 9.4"×9.4"



\* These are a custom mixes. Please contact your sales representative for more information. Sold by 4 pcs (1 sheet). 1 sq.ft = 1.56 sheets

PANTHEON FLOREALE MIXED COLORS Code: PFL MIXED COLORS Sheet size: 9.6x9.6" Thickness: 3/8"

<sup>\*</sup> Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



## WATER-IET COLLECTION

Mosaic Maintenance and Installation Guide

The Water-Jet Collection we have created is an innovative collection with a wide range of design applying traditional essences with sleek modern lines. The design features of water jet allows you to achieve an artisan, yet sophisticated finish, combining modern production techniques with the beauty of ancient craftsmanship. The combination of design and creativity will definitely make a stunning statement. Our water-jet collections uses natural stone, glass and mother of pearl materials. Natural stone is a product of organic formation and will have a color and size variations, blemishes and chipped edges. No two pieces are exactly identical lending to the beauty and prestige of these materials.

Always inspect your tiles before they are installed, as **installation of material constitutes acceptance**. Any questions as to acceptability must be resolved before installation. Always layout your material prior to installation to ensure the appearance meets desired results. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user. Some may be susceptible to scratching in handling, installation and use. Expect a slight color variation from production run to production run.

- Interior/Exterior walls (some items may not be suitable for exterior use)
- Back splashes
- Shower walls/floors (some items may not be suitable for shower pan use)
- · Light/Medium/Heavy foot traffic
- NOT recommended for swimming pools or areas submerged in water for prolonged period of time.
- · ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some collections may not be suitable for all areas listed above.
- · For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at: info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, M.I.A. and ANSI handbooks for tile and trade installation.

Due to the natural character of stone products, it is very important that the proper installation and methods are used according to the relevant industry standards. For specific questions or accepted industry standards, refer to the Marble Institute of America (www.marble-institute.com).

Natural stone may vary in absorption. It is recommended to pre-seal stones prior to installation. This will help prevent setting materials and grouts from staining the surface of the stone. Penetrating type sealers that leave the material looking natural are recommended for this purpose. Suggested sealer brands include but are not limited to: Dupont™ Stonetech® Professional Sealer and Aqua Mix. Please refer to sealers Manufacturer instructions prior to sealing. Test in a small area before sealing entire surface to ensure suitability. Contact your purchase location for additional information on these types of sealers.

We recommend installing stones over a clean, sound, and flat concrete or mortar substrate. The surface should be free of contaminates or any condition that could compromise the bond of the tile.

Use a high quality, well maintained wet saw with a diamond blade designed for cutting stone materials. Using a poorly maintained tile saw or a blade will cause the tile to chip during cutting. Always cut tile very slowly to avoid chipping.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch

## Suggested setting materials include but are not limited to:

- · LATICRETE PERMACOLOR® Grout
- LATICRETE Tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products.

### MAINTENANCE

Stone is a natural product and care should be taken to maintain its lasting beauty. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- · Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and
- **Do not** allow soap, bleach or other cleaning solutions set on the surface.
- · Do not wax any part of your mosaic.
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.

Acceptable cleaners for natural stone surfaces may be acquired through your Mir Mosaic purchase location or other tile dealers.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

## ARTISTIC STONE COLLECTION

Mosaic Maintenance and Installation Guide

The Artistic Stone Collection is decorative mosaics comprised of various mixed materials. Combinations may include glass and stone, stone and metal, polished and honed stone. Natural stone is a product of organic formation and will have color and size variations, blemishes and chipped edges. No two pieces are exactly identical lending to the beauty and prestige of these materials. Coupled with the various mixed media, these collections transpire to luxury.

### Inspection:

Always inspect your tiles before they are installed, as **installation of material constitutes acceptance**. Any questions as to acceptability must be resolved before installation. Always layout your material prior to installation to ensure the appearance meets desired results. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

### Usage:

- Interior walls
- Back splashes
- Materials NOT recommended for swimming pools or areas submerged in water.
- · Materials NOT recommended for use in direct sunlight as fading may occur.
- · Use of adhesive tapes such as masking tape, blue tape, painters tape, duct tape is not recommended during or after the installation process. These adhesives may adversely affect or damage the appearance of the Artistic Stone Collection
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some collections may not be suitable for all areas listed above.
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at: info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, M.I.A. and ANSI handbooks for tile and trade installation. Particular care should be taken to use the correct adhesive, grout and sealants. Use only non-sanded grout for grouting Artistic Stone mosaics.

Using wrong setting material can cause damage to the color and beauty of the mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product.

Natural stone may vary in absorption. It is recommended to pre-seal stones prior to installation. This will help prevent setting materials and grouts from staining the surface of the stone. Penetrating type sealers that leave the material looking natural are recommended for this purpose. Suggested sealer brands include but are not limited to: Dupont™ Stonetech® Professional Sealer and Aqua Mix. Please refer to sealers Manufacturer instructions prior to sealing. Test in a small area before sealing entire surface to ensure suitability. Contact your purchase location for additional information on these types

We recommend installing the mosaics over a clean, sound, and flat concrete or mortar substrate. We recommend using a white thin-set mortar or setting material for Artistic Stone mosaics to keep color consistent with the samples. The surface should be free of contaminates or any condition that could

Use a high quality, well maintained wet saw with a diamond blade designed for cutting stone, glass, and metal materials. Using a poorly maintained tile saw or a blade will cause the tile to chip during cutting. Always cut tile very slowly to avoid chipping.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. When grouting dimensional or textured materials it may be best suited to use a grout bagging application process instead of traditional grouting methods. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

## Suggested setting materials include but are not limited to:

- · Laticrete unsanded grout #1600 or similar:
- Laticrete Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products:

To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and
- Do not allow soap, bleach or other cleaning solutions set on the surface.
- · Do not wax any part of your mosaic.
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.

Acceptable cleaners for natural stone, glass and metal surfaces may be acquired through your Mir Mosaic purchase location or other tile dealers. Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

## WARRANTY

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

## PANTHEON COLLECTION

Mosaic Maintenance and Installation Guide

The Pantheon Collection is decorative polished and honed natural stone etched with intricate patterns that will transform your space exquisitely. Natural stone is a product of organic formation and will have a color and size variations, blemishes and chipped edges. No two pieces are exactly identical lending to the beauty and prestige of these materials.

### Inspection:

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user

## Usage:

- Interior/Exterior walls/floors
- Back splashes
- · Shower walls/floors
- Steam Showers
- · Light/Medium/Heavy foot traffic
- NOT recommended for swimming pools or areas submerged in water for prolonged period of time.
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine
- suitability for your desired installation. Some collections may not be suitable for all areas listed above. • For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir
- Mosaics at: info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, M.I.A. and ANSI handbooks for tile and trade installation.

Due to the natural character of stone products, it is very important that the proper installation and methods are used according to the relevant industry standards. For specific questions or accepted industry standards, refer to the Marble Institute of America (www.marble-institute.com).

Natural stone may vary in absorption. It is recommended to pre-seal stones prior to installation. This will help prevent setting materials and grouts from staining the surface of the stone. Penetrating type sealers that leave the material looking natural are recommended for this purpose. Suggested sealer brands include but are not limited to: Dupont™ Stonetech® Professional Sealer and Agua Mix. Please refer to sealers Manufacturer instructions prior to sealing. Test in a small area before sealing entire surface to ensure suitability. Contact your purchase location for additional information on these types

We recommend installing stones over a clean, sound, and flat concrete or mortar substrate. The surface should be free of contaminates or any condition that could compromise the bond of the tile.

Use a high quality, well maintained wet saw with a diamond blade designed for cutting stone materials. Using a poorly maintained tile saw or a blade will cause the tile to chip during cutting. Always cut tile very slowly to avoid chipping.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

## Suggested setting materials include but are not limited to:

- · LATICRETE PERMACOLOR® Grout
- LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products.

Stone is a natural product and care should be taken to maintain its lasting beauty. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- **Do not** allow soap, bleach or other cleaning solutions set on the surface.
- · Do not wax any part of your mosaic.
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.

Acceptable cleaners for natural stone surfaces may be acquired through your Mir Mosaic purchase location or other tile dealers

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose, Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.



